

TUBERÍA DE LÍNEA DE ACERO AL CARBÓN



API 5L "B/X42" PSL1 / ASTM A53 "B" / ASTM A500 "B/C" / ASTM A139 "B" / ASTM A106 "B/C"

Diámetro en pulgadas	Diámetro exterior	Especificaciones		Proceso
1/4	0.54	0.088"	Cédula 40 STD	Sin costura
1/4	0.54	0.119"	Cédula 80 XS	Sin costura
3/8	0.675	0.091"	Cédula 40 STD	Sin costura
3/8	0.675	0.126"	Cédula 80 XS	Sin costura
1/2	0.84	0.109"	Cédula 40 STD	Sin costura
1/2	0.84	0.147"	Cédula 80 XS	Sin costura
1/2	0.84	0.188"	Cédula 160	Sin costura
3/4	1.05	0.113"	Cédula 40 STD	Sin costura
3/4	1.05	0.154"	Cédula 80 XS	Sin costura
3/4	1.05	0.219"	Cédula 160	Sin costura
3/4	1.05	0.308"	Cédula XXS	Sin costura
1	1.315	0.133"	Cédula 40 STD	Costura ERW / Sin costura
1	1.315	0.179"	Cédula 80 XS	Sin costura
1	1.315	0.250"	Cédula 160	Sin costura
1	1.315	0.358"	Cédula XXS	Sin costura
1 1/4	1.66	0.140"	Cédula 40 STD	Costura ERW / Sin costura
1 1/4	1.66	0.191"	Cédula 80 XS	Sin costura
1 1/4	1.66	0.250"	Cédula 160	Costura ERW / Sin costura
1 1/2	1.9	0.145"	Cédula 40 STD	Costura ERW / Sin costura
1 1/2	1.9	0.200"	Cédula 80 XS	Sin costura
1 1/2	1.9	0.281"	Cédula 160	Sin costura
1 1/2	1.9	0.400"	Cédula XXS	Sin costura
2	2.375	0.154"	Cédula 40 STD	Sin costura
2	2.375	0.218"	Cédula 80 XS	Sin costura
2	2.375	0.344"	Cédula 160	Sin costura

2	2.375	0.436"	Cédula XXS	Sin costura
2 ½	2.875	0.203"	Cédula 40 STD	Sin costura
2 ½	2.875	0.276"	Cédula 80 XS	Costura ERW / Sin costura
2 ½	2.875	0.375"	Cédula 160	Sin costura
2 ½	2.875	0.552"	Cédula XXS	Sin costura
3	3.5	0.216"	Cédula 40 STD	Costura ERW / Sin costura
3	3.5	0.300"	Cédula 80 XS	Costura ERW / Sin costura
3	3.5	0.438"	Cédula 160	Sin costura
3	3.5	0.600"	Cédula XXS	Sin costura
3 ½	4	0.226"	Cédula 40 STD	Sin costura
3 ½	4	0.318"	Cédula 80 XS	Sin costura
4	4.5	0.237"	Cédula 40 STD	Costura ERW / Sin costura
4	4.5	0.337"	Cédula 80 XS	Costura ERW / Sin costura
4	4.5	0.531"	Cédula 160	Sin costura
4	4.5	0.674"	Cédula XXS	Sin costura
5	5.563	0.258"	Cédula 40 STD	Costura ERW / Sin costura
5	5.563	0.375"	Cédula 80 XS	Costura ERW / Sin costura
5	5.563	0.500"	Cédula 120	Sin costura
5	5.563	0.625"	Cédula 160	Sin costura
6	6.625	0.188"		Costura ERW
6	6.625	0.250"		Costura ERW
6	6.625	0.280"	Cédula 40 STD	Costura ERW / Sin costura
6	6.625	0.432"	Cédula 80 XS	Costura ERW / Sin costura
6	6.625	0.562"	Cédula 120	Sin costura
6	6.625	0.719"	Cédula 160	Sin costura
6	6.625	0.864"	Cédula XXS	Sin costura
8	8.625	0.188"		Costura ERW
8	8.625	0.250"	Cédula 20	Costura ERW / Sin costura
8	8.625	0.277"	Cédula 30	Costura ERW
8	8.625	0.322"	Cédula 40 STD	Costura ERW / Sin costura
8	8.625	0.406"	Cédula 60	Sin costura
8	8.625	0.500"	Cédula 80 XS	Costura ERW / Sin costura
8	8.625	0.719"	Cédula 120	Sin costura

8	8.625	0.906"	Cédula 160	Sin costura
10	10.75	0.188"		Costura ERW
10	10.75	0.250"	Cédula 20	Costura ERW / Sin costura
10	10.75	0.365"	Cédula 40 STD	Costura ERW / Sin costura
10	10.75	0.500"	Cédula 60 XS	Costura ERW / Sin costura
10	10.75	0.594"	Cédula 80	Sin costura
10	10.75	0.844"	Cédula 120	Sin costura
10	10.75	1.125"	Cédula 160	Sin costura
12	12.75	0.250"	Cédula 20	Costura ERW / Sin costura
12	12.75	0.312"		Costura ERW
12	12.75	0.330"	Cédula 30	Costura ERW
12	12.75	0.375"	Cédula STD	Costura ERW / Sin costura
12	12.75	0.406"	Cédula 40	Costura ERW / Sin costura
12	12.75	0.500"	Cédula XS	Costura ERW / Sin costura
12	12.75	0.562"	Cédula 60	Sin costura
12	12.75	0.688"	Cédula 80	Sin costura
12	12.75	0.844"	Cédula 100	Sin costura
12	12.75	1.000"	Cédula 120	Sin costura
14	14	0.250"	Cédula 10	Costura ERW
14	14	0.312"	Cédula 20	Costura ERW
14	14	0.375"	Cédula 30 STD	Costura ERW / Sin costura
14	14	0.438"	Cédula 40	Costura ERW / Sin costura
14	14	0.500"	Cédula XS	Costura ERW / Sin costura
14	14	0.750"	Cédula 80	Sin costura
16	16	0.250"	Cédula 10	Costura ERW
16	16	0.312"	Cédula 20	Costura ERW
16	16	0.375"	Cédula 30 STD	Costura ERW / Sin costura
16	16	0.500"	Cédula 40 XS	Costura ERW / Sin costura
16	16	0.656"	Cédula 60	Long. Doble arco sumergido
16	16	0.844"	Cédula 80	Sin costura
16	16	1.031"	Cédula 100	Sin costura
16	16	1.219"	Cédula 120	Sin costura
18	18	0.250"	Cédula 10	Costura ERW

18	18	0.312"	Cédula 20	Costura ERW
18	18	0.375"	Cédula STD	Costura ERW / Sin costura
18	18	0.500"	Cédula XS	Costura ERW / Sin costura
18	18	0.562"	Cédula 40	Sin costura
18	18	0.562"	Cédula 40	Long. Doble arco sumergido
18	18	0.750"	Cédula 60	Long. Doble arco sumergido
18	18	0.938"	Cédula 80	Long. Doble arco sumergido
18	18	0.938"	Cédula 80	Sin costura
20	20	0.250"	Cédula 10	Costura ERW
20	20	0.312"		Costura ERW
20	20	0.375"	Cédula 20 STD	Costura ERW / Sin costura
20	20	0.500"	Cédula 30 XS	Costura ERW / Sin costura
20	20	0.594"	Cédula 40	Sin costura
20	20	0.594"	Cédula 40	Long. Doble arco sumergido
20	20	1.031"	Cédula 80	Long. Doble arco sumergido
20	20	1.031"	Cédula 80	Sin costura
24	24	0.250"	Cédula 10	Costura ERW
24	24	0.312"		Costura ERW
24	24	0.375"	Cédula 20 STD	Costura ERW / Sin costura
24	24	0.500"	Cédula XS	Costura ERW / Sin costura
24	24	0.625"		Costura ERW
24	24	0.688"	Cédula 40	Sin costura
24	24	0.688"	Cédula 40	Long. Doble arco sumergido
24	24	0.750"		Long. Doble arco sumergido
24	24	0.969"	Cédula 60	Sin costura
24	24	1.000"		Long. Doble arco sumergido
24	24	1.219"	Cédula 80	Sin costura
30	30	0.250"	Cédula 5 S	Costura helicoidal
30	30	0.375"	Cédula STD	Costura helicoidal
30	30	0.375"	Cédula STD	Sin costura
30	30	0.375"	Cédula STD	Long. Doble arco sumergido
30	30	0.500"	Cédula 20 XS	Sin costura
30	30	0.500"	Cédula 20 XS	Long. Doble arco sumergido

30	30	0.500"	Cédula 20 XS	Costura helicoidal
30	30	0.625"	Cédula 30	Costura helicoidal
30	30	0.750"		Long. Doble arco sumergido
30	30	1.000"		Long. Doble arco sumergido
36	36	0.375"	Cédula STD	Long. Doble arco sumergido
36	36	0.375"	Cédula STD	Costura helicoidal
36	36	0.500"	Cédula XS	Long. Doble arco sumergido
36	36	0.500"	Cédula XS	Costura helicoidal
42	42	0.375"	Cédula STD	Long. Doble arco sumergido
42	42	0.500"	Cédula XS	Costura helicoidal
48	48	0.375"	Cédula STD	Long. Doble arco sumergido
48	48	0.500"	Cédula XS	Long. Doble arco sumergido

Contacto	Correo	Teléfono
Ventas	ventas@fersum.com	01 (81) 1352 9900
Victor Gamboa	vgamboa@fersum.com	01 (81) 1352 9900 Ext- 113
René Hernández	rhernandez@fersum.com	01 (81) 1352 9900 Ext- 117
Américo Zambrano	azambrano@fersum.com	01 (81) 1352 9900 Ext- 104